Ventilation solutions for the mitigation of radon gas build up





Hazards, reference regulations and strategies






RADON GAS

VENTILATION SOLUTIONS FOR THE MITIGATION OF RADON GAS BUILD UP

86 RM Radon 222.018

What is radon?

Radon is a radioactive gas of natural origin that is produced from the decay of Uranium (238U) and Radium (226Ra). This decay to more stable elements called "radon isotopes" results in the emission of **high energy alpha particles capable of damaging our DNA** and causing mutations and tumours.




Radon tends to concentrate in underground spaces with a low ceiling and significantly contributes to the amount of ionizing radiation the general population is exposed to.




How does it reach us?

Radon gas can reach us through **seepage from granite soils** (generally) and, to a lesser extent, by its presence in water and some construction materials.



- 1 From the soil. Through cracks and fissures, construction joints or cavities, conduits or utility lines.
- 2 From the construction materials.
- 3 Through water.

This radon decay results in the emission of high energy alpha particles capable of damaging our DNA and causing mutations and tumours.



According to WHO, up to 14% of lung cancer cases are caused by exposure to radon gas




The World Health Organisation (WHO) estimates that as much as 14% of lung cancer cases around the world are attributed to exposure to radon gas, making it the second root cause behind tobacco.

Hazards to health

Also, this organisation estimates that the probability of suffering this type of cancer increases tenfold in people that are also smokers.


Lung cancer is the second type of tumour most diagnosed in the world. According to data from the Global Cancer Observatory, in the year 2020 more than two million cases were diagnosed around the world.






A global problem

Granite soils are one of the most common substrates in the world, and therefore the risk of high concentrations of radon gas from occurring is a global problem.









Article 54

Radon at the workplace

Member States shall set the national reference levels for radon concentrations indoors at the workplace. The reference level for the annual average concentration of activity in the air must not exceed **300 Bq/m³**, unless it is justified by the prevailing national circumstances.



Member States shall require radon measurements be carried out:

- (a) at workplaces within the areas identified in Article 103, **which are located on the bottom floor or basement**, taking into account the parameters contained in the national action plan in accordance with paragraph 2 of Annex XVIII, as well as
- (b) at specific workplaces identified in the national action plan, taking into account paragraph 3 of Annex XVIII.

Article 74

Exposure to radon indoors

Member States shall set the national reference levels for radon concentrations indoors. The reference levels for the annual average concentration of activity in the air must not exceed **300 Bq/m³**.



Within the framework of the national action plan mentioned in Article 103, member States shall promote actions to identify homes with radon concentrations (as an annual average) exceeding the reference level and, when appropriate through technical or other means, **promote measures** to reduce radon concentrations in these homes.


Member States shall guarantee that local and national information is available on the exposure to radon indoors and the associated health risks, on the importance of carrying out radon measurements and on the **technical means that are available to reduce existing radon concentrations**.

STRATEGIES

Ventilation solutions are often the only alternative

The technical guide drafted by the Instituto de ciencias de la construcción Eduardo Torroja (IETcc) in the year 2019, titled *Rehabilitación frente al radón* (Rehabilitation in the presence of radon), includes the main global radon mitigation strategies.

Currently there are different protection strategies against radon, which are generally focused on radon originating from the soil. Their main objective is to **lessen the exposure to radon of people inside buildings**. Thus, these strategies can be grouped into:



In existing buildings, isolation strategies are limited by the presence of pre-existing construction elements, the scope of action, the available economic resources, etc., and therefore the ventilation strategies are often presented as the only alternative.








Ventilation strategies inside a containment space

The containment space, air chamber or sanitary chamber is a space located between the ground and the spaces to be protected. In this case, it is a place where most of the radon originating from the soil tends to accumulate.

The purpose of ventilating the air chamber that is used as a containment space is to **reduce the concentration of radon** to which habitable spaces are exposed. This is based on the removal of air with high concentrations of radon from the chamber and thus prevent it from penetrating habitable spaces.



Extract duct
with extract fan routed
inside the building to the
roof.



Extract duct
with extract fan routed
outside the building to the
roof.



Extract duct with extract fan routed on the façade outside the building.

Intake opening

2 Extract duct

3 Extract equipment

SOLUTIONS

Ventilation solutions by SODECA guarantee maximum efficiency and flexibility is achieved in adapting to the different possible scenarios.





Residential sector



NEOLINEO/EW

Tertiary sector



SVE/PLUS/EW

Industrial sector



CJBD/EC/AL



EC Technology Solutions






Ventilation strategies by soil depressurisation

The purpose of the depressurisation of the ground is to reduce the **concentration of radon that could penetrate through the enclosures** of the building.


This is based on the depressurisation of the soil that is underlying or adjacent to the building using a mechanical extract fan to remove the radon to the exterior and thus prevent it from penetrating inside the building.



Extract duct with extract fan routed inside the building to the roof.



Extract duct
with extract fan
routed outside the building
to the roof.



Extract duct with extract fan routed on the façade outside the building.

Extract duct

2 Extract equipment

SOLUTIONS

Ventilation solutions by SODECA guarantee maximum efficiency and flexibility is achieved in adapting to the different possible scenarios.





Residential sector



NEOLINEO/EW

Tertiary sector



SVE/PLUS/EW

Industrial sector



CJBD/EC/AL




EC Technology Solutions







Ventilation strategies of habitable spaces



The purpose of ventilation in habitable spaces is to reduce the concentration of radon, by increasing the renewal of air inside these indoor spaces.

This is achieved by diluting the concentration of gaseous compounds such radon in the presence of a sufficient amount of clean air.

SOLUTIONS

Ventilation solutions by SODECA guarantee maximum efficiency and flexibility is achieved in adapting to the different possible scenarios.





Residential sector



AIRHOME

Tertiary sector



RECUP/EC-BS

Industrial sector



RECUP/EC-H



EC Technology Solutions



EUROPE

FINLAND Sodeca Finland, Oy

HUITTINEN Sales and Warehouse Mr. Kai Yli-Sipilä Metsälinnankatu 26 FI-32700 Huittinen Tel. + 358 400 320 125 orders.finland@sodeca.com HELSINKI Smoke Control Solutions Mr. Antti Kontkanen Vilppulantie 9C Fl-00700 Helsinki Tel. +358 400 237 434 akontkanen@sodeca.com Mrs. Kaisa Partanen Tel. +358 451 308 038 kpartanen@sodeca.com HYVINKÄÄ Smoke extraction and industrial applications Niinistönkatu 12 Fl-05800 Hyvinkää Mr. Jaakko Tomperi Tel. +358 451 651 333 jtomperi@sodeca.com Mr. Jarno Pikkumäki Tel. +358 407 723 472 jpikkumaki@sodeca.com UNITED KINGDOM
Sodeca Fans UK, Ltd.

Mr. Mark Newcombe Tamworth Enterprise Centre Philip Dix House, Corporation Street, Tamworth, B79 7DN UNITED KINGDOM Tel. +44 (0) 1827 216 109 sales@sodeca.co.uk

PORTUGAL Sodeca Portugal, Unip. Lda.

PORTO Rua Veloso Salgado 1120/1138 4450-801 Leça de Palmeira Tel. +351 229 991 100 geral@sodeca.pt LISBOA Pq. Emp. da Granja Pav. 29 2625-607 Vialonga Tel. +351 219 748 491 qeral@sodeca.pt ALGARVE Rua da Alegria, 33 8200-569 Ferreiras Tel. +351 289 092 586 geral@sodeca.pt

ITALIA Marelli Ventilazione, S.R.L.

Viale del Lavoro, 28 37036 San Martino B.A. (VR), ITALY Tel. +39 045 87 80 140 vendite@sodeca.com

AMERICA

CHILE Sodeca Ventiladores, SpA.

Sra. Sofía Ormazábal Santa Bernardita 12.005 (Esquina con Puerta Sur) Bodegas 24 a 26, San Bernado, Santiago, CHILE Tel. +56 22 840 5582 ventas.chile@sodeca.com

COLOMBIA Sodeca Latam, S.A.S.

Sra. Luisa Stella Prieto Calle7 No. 13 A-44 Manzana 4 Lote1, Montana Mosquera, Cundinamarca Bogotá, COLOMBIA Tel. +57 1 756 4213 ventascolombia@sodeca.co

PERU Sodeca Perú, S.A.C.

Sr. Jose Luis Jiménez C/ Mariscal Jose Luis de Orbegoso 331. Urb. El pino. 15022, San Luis. Lima, PERÚ Tel. +51 1 326 24 24 Cel. +51 994671594 comercial@sodeca.pe



HEADQUARTER

Sodeca, S.L.U.

Pol. Ind. La Barricona Carrer del Metall, 2 E-17500 Ripoll Girona, SPAIN Tel. +34 93 852 91 11 Fax: +34 93 852 90 42 General sales: comercial@sodeca.com Export sales: ventilation@sodeca.com





PRODUCTION PLANT

Sodeca, S.L.U.

Ctra. de Berga, km 0,7 E-08580 Sant Quirze de Besora Barcelona, SPAIN Tel. +34 93 852 91 11 Fax: +34 93 852 90 42 General sales: comercial@sodeca.com Export sales: ventilation@sodeca.com



www.sodeca.com