

ECODESIGN INFORMATION

Applies to non-residential ventilation units (NRVU)

According to Regulation EU No 1253/2014 of the European Commission, implementing Directive 2009/125/CE of European Parliament

SODECA, S.L.U.

www.sodeca.com

b) Model	f) Thermal efficiency of heat recovery (%)	j) Face velocity at design flow rate	n) Static efficiency of fans according to (EU) 327/2011	q) Visual filter warning
c) Typology	g) Nominal flowrate	k) Nominal external pressure		r) LWA radiated
d) Drive type	h) Effective electric power input	l) Internal pressure drop of ventilation components	o1) Max. internal leakage rate	
e) HRS type	i) SFPint	m) Internal pressure drop of non-ventilation components	o2) Max. external leakage rate	
			p) Energy performance of the filters	

b)	c)	d)	e)	f)	g)	h)	i)	j)	k)	l)	m)	n)	o1)	o2)	p)	q)	r)	ERP
				%	m ³ /s	kW	W/m ³ /s	m/s	Pa	Pa	Pa	%	%	%			dBA	
SV-315/H	NRVU / UVU	Viteza variabila	Nimic		0.456	0.123	230	5.85	78			43.3	2.4		Nu se aplica	Nu se aplica	62	2018
SV-350/H	NRVU / UVU	Viteza variabila	Nimic		0.620	0.236	230	6.46	126			45.0	2.4		Nu se aplica	Nu se aplica	65	2018
SV-400/H	NRVU / UVU	Viteza variabila	Nimic		0.712	0.386	230	5.65	196			46.1	2.4		Nu se aplica	Nu se aplica	67	2018